

### 2MP Full Colour 4 in 1 HD Fixed Mini Bullet Camera HYU-CC-CHBF12002-C




#### Key Features

- 2MP high quality image
- TVI/AHD/CVI/CVBS
- Supports white light illumination, 24/7 full-colour imaging
- Supports 180° horizontal flip, 180° vertical flip
- OSD configuration menu, easy to operate
- IP67 waterproof and dustproof design, high reliability
- OSD configuration menu in 11 languages

### Specifications

Model	HYU-CC-CHBF12002-C
<b>Sensor</b>	
Pixel	2MP
Size	1/3"
Minimum illumination	0.02 lux (F1.6, AGC ON) 0.00 lux (white light on)
<b>Lens</b>	
Lens Type	4.0mm
Lens Mount	M12
Angle of View	H: 82.5° V: 42.1° D: 98.6°
<b>Illuminator</b>	
Illuminator	One white-light illuminator
Illuminator Distance	20m
Lifetime	≥60,000 hours
<b>Video</b>	
Resolution	1080P: 1920(H)×1080(V) 720P: 1280(H) ×720(V)
Frame Rate	TVI/AHD/CVI: 1080P@30fps, 1080P@25fps; 720P@30fps, 720P@25fps CVBS: PAL, NTSC
Shutter time	PAL: 1/25s-1/50000s NTSC: 1/30s-1/50000s
<b>Image</b>	
Exposure mode	4 modes: Global (default), BLC, HLC, DWDR
Day/Night	24/7 full-colour imaging
Digital noise reduction	2D/3D
White balance	Two modes: Auto (default), Manual
WDR	DWDR
Flip	Supports 180° horizontal flip, 180° vertical flip
<b>Interface</b>	
Power	5.5mm power interface
Video output	BNC, supports TVI/AHD/CVI/CVBS
<b>Operating environment</b>	
Temperature	-30°C to 60°C (-22°F to 140°F)
Humidity	≤95% (RH, non-condensing)
Surge protection	4KV
Ingress protection	IP67
<b>General</b>	
Power	DC 12V (±25%), with reverse polarity protection and surge protection, Max 2.4W
Mount	3D bracket supplied, surface mount (default), optional backbox, pole mount bracket
Dimensions	142mm*63mm*65mm (L*W*H)
Material	Plastic
Weight	145g (0.32lb)

### Dimensions



### Accessories

Accessory Model	Image	Remarks
HYU-CC-AJB05A		Bullet camera backbox (supports rear cabling, square)-97.5mm*93mm*43.1mm, sold separately
HYU-CC-AUPO6B		Bullet camera pole-mount bracket (white)-bullet camera-sheet metal, sold separately
HYU-CC-AJB07D		Bullet camera backbox (supports rear cabling)-125mm*125mm*57mm, sold separately