

HYUNDAI

**Manual call point weather proof enclosure
HYU-FA-MCPWP001**

USER MANUAL

Description

Manual call point enclosures provide a weather proof enclosure for Numens addressable and non-addressable system manual call points.

Access to the manual call point is provided by an easy-to-operate pull-down lever, to unlock the hinged transparent cover.

Resetting the manual call point is achieved by inserting a key through the underside of the unit to replace the operating face to the quiescent position.

The weather proof enclosure provides fire detection and alarm system designers with a premium solution for outdoor life safety and property protection applications.

Features

- Robust enclosure
- IP-65 rating
- Suitable for outdoor use
- Compatible with Numens addressable and non-addressable manual call points
- Easy installation
- Low maintenance

Compliance

Manual call point weather proof enclosure complies with CE requirements.

Specifications

HYU-FD-MCP002	
Ingress protection rating	IP-65
Operating temperature	(-10 ~ +55) °C
Operating humidity	(0 ~ 95) % RH, non-condensing
Storage temperature	(-25 ~ +80) °C
Storage humidity	(0 ~ 98) % RH, non-condensing
Dimensions (h x w x d)	(144 x 135 x 83) mm



HYU-FD-MCP002 manual call point weather proof enclosure

HYUNDAI

For Inquiries, Please Contact:

Security Shop
Vladimira Popovica 6/6/A606
11070 Novi Beograd, Serbia
Tell +381 11 318 68 68
office@securityshop.rs

Imported/Distributed by Security Shop Doo
Licensed by Hyundai Corporation Holdings, Korea
Delivery and After Service shall only be covered within Serbia