

HYUNDAI
ELECTRONICS

HYU-CC-PG450002

USER MANUAL

CCTV AC to DC 12V 5A Power Supply box

✧ Features:

- ✧ Universal AC Input Range.
- ✧ DC outputs are regulated and filtered.
- ✧ Short circuit /Over Voltage/Over Current/Over Temp Protection.
- ✧ Class 2 PTC output protection for each port
- ✧ Individual status LED indicator for each output
- ✧



Specialty:

- ✧ Over Current protection: when over current occurs, the power supply will automatically switch to self-protection status, when condition removed, then switch back to normal.
- ✧ Short circuit protection: when short condition occurs, independent PTC fuse will open the circuit, when condition removed, PTC fuse will automatically back to close.
- ✧ High voltage protection: when high voltage occurs, the surge protection will be hit through to protect the connected device
- ✧ Thermal Cutoffs Protection (TCO): each output has independent PTC fuse and LED indicator, when problem occurs, only affect the independent output, other outputs still working.

Specifications:

Item	CCTV Power Supply Box
Model Number	HYU-CC-PG45002
Input Voltage	AC110~240V 50/60HZ
Output	DC 12V 5A 4Channel
Efficiency	≥82%
Fuse Type	PTC Fuse
Fuse Rating	0.6A
Operating Temperature	-10~40°C
Carton Dimension	535*225*290mm
Carton Weight	5pcs/carton; 10KG
Size/Net Weight	255*208*90mm/1.5KG
Color	White and Black
Application	CCTV Camera, IP Camera, PTZ, IR Illuminator, Video process,DVR, Access Control , etc.
Certification	CE,RoHS, FCC,UL,cUL etc.

For Inquiries, Please Contact:

Security Shop
Vladimira Popovica 6/6/A606
11070 Novi Beograd, Serbia
Tell +381 11 318 68 68
office@securityshop.rs