


HYUNDAI
ELECTRONICS

Power Combo QUICK START GUIDE


USER MANUAL

1. Description:



HYU-IN-AP7001

2. Wiring:



3. Specification:

| | |
|-------------------------------|-------------------------|
| Input Voltage: | 100~240Vac |
| Input Frequency: | 50~60Hz |
| Rated Output Voltage: | DC 28V |
| Rated Output Current: | 1.5A |
| Working Temperature: | -10°C~50°C |
| SW Port Input Voltage: | Max.230Vac, 1.5A |
| Dimension: | 70*98*59mm |

5. Warning:

- The unit can only be used in DT 2 wire products supplied by our company.
- Don't connect the unit with any non-specified power source. Fire or electric shock could result.
- Don't dismantle or alter the unit. Fire or electric shock could result.
- The unit must be installed and wired by a qualified technician.
- Keep the unit away from water or any other liquid. Fire or electric shock could result.

HYUNDAI
ELECTRONICS

For Inquiries, Please Contact:

SECURITY SHOP

**Vladimira Popovića 6,
11070 Novi Beograd, Srbija
TEL: 011 318 68 68, 066 320015
E MAIL: office@securityshop.rs**

Imported/Distributed by Security Shop Doo
Licensed by Hyundai Corporation Holdings, Korea
Delivery and After Service shall only be covered within Serbia