BLAUPUNKT

User Manual

100V INDOOR OUTDOOR WALL MOUNT SPEAKER
BP-PA-SP20W-OUT-V2



Enjoy it.

Features:

- All weather loudspeakers for music applications and projects.
- Ideal for indoor outdoor BGM and paging system
- IP66 waterproof finish for all extreme weather applications
- 4" weatherproof woofer and 1” silk tweeter 2-way speaker system
- ABS enclosure, stainless metal grille & stainless mounting bracket
- Power output 20-10-5-2.5W & 8Ω
- 70V/100V speaker with power tapping or as a low impedance 8 Ohm speaker
- Waterproof cable wiring cover for IP66 secure weatherproof protection
- Ultra- reliable, fail safe loudspeaker even at high power loads
- Supplied with 360° rotatable bracket for horizontal and vertical installation angle adjustment


Specifications:


Model	BP-PA-SP20W-OUT-V2
Description	Indoor Outdoor Wall Mount Speaker
Rated power output	20W and Max. 40W
Power taps	20-10-5-2.5W & 8Ω
Line input	100V or 70V & 8Ω
Frequency response	80-20KHz
SPL(@1W/m)	91±3dB and Max 110dB (1m)
IP rate	IP66
Speaker unit	4" weatherproof woofer and 1” silk tweeter 2-way speaker system
Dispersion	Vertical: 180° and Horizontal: 180° (1KHz)
Dimension	220×138×120mm
Material	ABS enclosure, stainless metal grille & stainless mounting bracket
Color	Black
Mounting Way	360° rotatable bracket for horizontal and vertical installation angle adjustment
Net Weight	1.3kg

Side View & Bracket:



SPL VS Frequency & Impedance Diagrams





For Inquiries, Please contact:

Security Shop doo
Vladimira Nazora 1, 11070 Novi Beograd,
Tel: +381 11 318 68 68, www.securityshop.rs

BLAUPUNKT and the BLAUPUNKT logo are trademarks of TALISMAN BRANDS (Luxembourg) S.A.R.L.and are used under license from Talisman Brands, Inc. BLAUPUNKT licensees are solely responsible for the BLAUPUNKT branded products manufactured, distributed and sold under license.

www.blaupunkt.com